[61] Dell'Oro. Ethernet switch market grew 16% in 4Q01, according to Dell'Oro Group. Press release, Dell'Oro Group, February 2002.

[62] A. Demers, S. Keshav, and S. Shenker. Analysis and simulation of a fair-queueing algorithm. In *Proceedings of ACM SIGCOMM*, pages 1–12, Austin, TX, September 1989.

[63] Information Technology Dept. *Traffic between Purdue University and the Indiana GigaPoP*. Purdue University, 2003. `http://mrtg.noc.purdue.edu/data/math-g190-c6509-01/math-g190-c6509-01-ge-gigapop.ht`

[64] Andrea Detti and Marco Listanti. Impact of segments aggregation on TCP Reno flows in optical burst switching networks. In *Proceedings of IEEE Infocom*, pages 1803–1812, 2002.

[65] N. Duffield, C. Lund, and M. Thorup. Charging from sampled network usage. In *Proceedings of ACM SIGCOMM Internet Measurement Workshop*, November 2001.

[66] Chris Edwards. Panel weighs hardware, software design options. *EE Times*, June 2000. `http://www.eetimes.com/story/OEG20000607S0043`.

[67] S. G. Eick, P. Schuster, A. Mockus, T. L. Graves, and A. F. Karr. Visualizing software changes. Technical Report 113, National Institute of Statistical Sciences, December 2000.

[68] Tarek S. El-Bawab and Jong-Dug Shin. Optical packet switching in core networks: Between vision and reality. *IEEE Communications Magazine*, 40(9):60–65, September 2002.

[69] David Emberley, Sterling Perrin, and Thomas S. Valovic. More is not enough: Bandwidth end use forecast and analysis, 2000-2005. Analyst brief, IDC, February 2002.

[70] C. Estan and G. Varghese. New directions in traffic measurement and accounting. In *Proceedings of ACM SIGCOMM*, pages 323–336, 2002.

[71] EZchip, Technologies. *NP-1, OC-192 Network Processor*, 2003. `http://www.ezchip.com/html/pr_np-1.html`.

[72] M. D. Fagen. *A History of Engineering and Science in the Bell System: The Early Years (1875-1925)*. Bell Telephone Laboratories, New York, 1975.

[73] Anja Feldmann. *Self-similar Network Trac and Performance Evaluation*, chapter Characteristics of TCP connection arrivals, pages 367–399. K. Park and W. Willinger, editors. John Wiley and Sons, 2000.

[74] Anja Feldmann, Jennifer Rexford, and Ramon Cáceres. Reducing overhead in flow-switched networks: An empirical study of web traffic. In *Proceedings of IEEE Infocom*, pages 1205–1213, 1998.

[75] Domenico Ferrari. Real-time communication in an internetwork. *Journal of High Speed Networks IOS Press*, 1(1):79–103, 1992.

[76] I. Foster, C. Kesselman, J. Nick, and S. Tuecke. The physiology of the grid: An open grid services architecture for distributed systems integration. Technical report, Open Grid Service Infrastructure WG, Global Grid Forum, June 2002.

[77] Charles Fraleigh. *Provisioning IP Backbone Networks to Support Delay Sensitive Traffic*. PhD thesis, Electrical Engineering Dept., Stanford University, 2002.

[78] S. Ben Fredj, T. Bonald, A. Proutiere, G. Regnie, and J. Roberts. Statistical bandwidth sharing: A study of congestion at flow level. In *Proceedings of ACM SIGCOMM*, pages 111–122, 2001.

[79] Aysegul Gençata and Biswanath Mukherjee. Virtual-topology adaptation for WDM mesh networks under dynamic traffic. In *Proceedings of IEEE Infocom*, volume 1, pages 48–56, June 2002.

[80] The Globus Project. *Globus Toolkit*, 2003. `http://www.globus.org/toolkit/`.

[81] Walter J. Goralski. *SONET, 2nd Edition*. McGraw-Hill Professional, 2000.

[82] Pakaj Gupta. *Algorithms for Routing Lookups and Packet Classification*. PhD thesis, Computer Science Dept., Stanford University, 2001.

[83] P. M. Hagelin, U. Krishnamoorthy, J. P. Heritage, and O. Solgaard. Cross-connect switch using micromachined mirrors. *IEEE Photonics Technology Letters*, 12(7):882–885, July 2000.

[84] Mor Harchol-Balter and Allen B. Downey. Exploiting process lifetime distributions for dynamic load balancing. *ACM Transactions on Computer Systems*, 15(3):253–285, 1997.

[85] Martin Hoffmann, Peter Kopka, and Edgar Voges. Low-loss fiber-matched low-temperature PECVD waveguides with small-core dimensions for optical communication systems. *IEEE Photonic Technology Letters*, 9(9):1238–1240, 1997.

[86] Ching-Fang Hsu, Te-Lung Liu, and Nen-Fu Huang. Performance analysis of deflection routing in optical burst-switched networks. In *Proceedings of IEEE Infocom*, pages 66–74, 2002.

[87] Frank Ianna. *Ianna Outlines Plan to Evolve the AT&T Network*. AT&T, March 1999. `http://www.att.com/technology/ip/iannaplan.html`.

[88] Industry Analysis Division, Common Carriers Bureau. Trends in telephone service. Report, US Federal Communications Commission, August 2001.

[89] Information Sciences Institute. *The Network Simulator, ns-2*, 2002. `http://www.isi.edu/nsnam/ns/`.

[90] Sundar Iyer, Supratik Bhattacharyya, Nina Taft, Nick McKeown, and Christophe Diot. An approach to alleviate link overload as observed on an IP backbone. In *Proceedings of IEEE Infocom*, San Francisco, California, April 2003.

[91] Sundar Iyer, Ramana Rao Kompella, and Nick McKeown. Analysis of a memory architecture for fast packet buffers. In *IEEE Workshop on High Performance Switching and Routing*, Dallas, Texas, May 2001. IEEE Workshop on High Performance Switching and Routing.

[92] Sundar Iyer and Nick McKeown. Making parallel packet switches practical. In *Proceedings of IEEE Infocom*, pages 1680–1687, Ancorage, Alaska, March 2001.

[93] Sundar Iyer and Nick McKeown. Maintaining packet order in two-stage switches. In *Proceedings of IEEE Infocom*, pages 1032–1042, New York, NY, June 2002.

[94] Juniper Networks. *T640 Internet Routing Node: Datasheet*, 2002. `http://www.juniper.net/products/dsheet/100051.html`.

[95] R.E. Kahn, S.A. Gronemeyer, J. Burchfiel, and R.C. Kunzelman. Advances in packet radio technology. *Proceedings of the IEEE*, 66(11):1468–1496, November 1978.

[96] Leonard Kleinrock. *Queuing Systems, Volume I: Theory*, volume 1. Wiley-Interscience, New York, 1975.

[97] Leonard Kleinrock. Principles and lessons in packet communications. *Proceedings of the IEEE*, 66(11):1320–1329, November 1978.

[98] Paul Korzeniowski. VoIP-still only a drop in the bucket. *Voice 2001, Business Communications Review*, pages 78–80, February 2001.

[99] Eric Krapf. Can they really rebuild the PSTN? *Business Communications Review*, pages 36–44, May 2000.

[100] Jason Krause. How low can they go? *The Industry Standard*, September 1999.

[101] U. Krishnamoorthy, K. Li, K. Yu, D. Lee, J.P. Heritage, and O. Solgaard. Dual mode micromirrors for optical phased array applications. *Sensors and Actuators: A. Physical*, 97-98C:22–26, May 2002.

[102] R. Kuhn. Sources of failure in the public switched telephone network. *IEEE Computer*, 30(4):31–36, April 1997.

[103] Editor L. Berger. RFC 3471: Generalized Multi-Protocol Label Switching (GMPLS), Signaling Functional Description, January 2003.

[104] Editor L. Berger. RFC 3473: Generalized Multi-Protocol Label Switching (GMPLS) Signaling, Resource ReserVation Protocol-Traffic Engineering (RSVP-TE) Extensions, January 2003.

[105] C. Labovitz, R. Wattenhofer, S. Venkatachary, and A. Ahuja. Resilience characteristics of the Internet backbone routing infrastructure. In *Proceedings of the Third Information Survivability Workshop*, Boston, MA, October 2000.

[106] Craig Labovitz, Abha Ahuja, Abhijit Bose, and Farnam Jahanian. Delayed Internet routing convergence. *IEEE/ACM Transactions On Networking*, 9(3):293–306, June 2001.

[107] Craig Labovitz, Abha Ahuja, and Farnam Jahanian. Experimental study of Internet stability and wide-area backbone failures. In *Proceedings of FTCS*, Madison, WI, June 1999.

[108] Steve Lin and Nick McKeown. A simulation study of ip switching. In *Proceedings of ACM SIGCOMM*, pages 15–24, Cannes, France, September 1997.

[109] C. Liu, Z. Dutton, C. H. Behroozi, and L. V. Hau. Observation of coherent optical information storage in an atomic medium using halted light pulses. *Nature*, 409:490–493, January 2001.

[110] Peter Lothberg. A view of the future: The IP-only Internet. NANOG meeting #22, May 2001. `http://www.nanog.org/mtg-0105/lothberg.html`.

[111] Lucent Technologies. *WaveStar OLS 1.6T Brochure*, 2001. `http://www.lucent.com/livelink/152114_Brochure.pdf`.

[112] Lucent Technologies. *LambdaXtreme Transport*, 2002. `http://www.lucent.com/livelink/0900940380004c3f_Brochure_datasheet.pdf`.

[113] G. Varghese M. Shreedar. Efficient fair queuing using deficit round robin. In *Proceedings of ACM SIGCOMM*, pages 231–242, Cambridge, MA, September 1995.

[114] Ratul Mahajan, David Wetherall, and Tom Anderson. Understanding BGP misconfiguration. In *Proceedings of ACM SIGCOMM*, 2002.

[115] Matrix.net. *Internet Ratings*, 2002. `http://ratings.miq.net/`.

[116] N. Maxemchuk, I. Ouveysi, and M. Zukerman. A quantitative measure of topology lifetime for telecommunications networks. In *Proceedings of the Conference on Global Communications (GLOBECOM)*, volume 1, pages 690–694, December 2000.

[117] David E. McDysan and Darren L. Spohn. *ATM Theory and Applications*. McGraw-Hill Osborne Media, 1998.

[118] McKinsey&Company and Goldman Sachs. *US communications infrastructure at a crossroads: oportunities among gloom*, August 2001.

[119] Lee McKnight and Brett Leida. Internet telephony: Costs, pricing, and policy. In *Twenty-fifth Annual Telecommunications Policy Research Conference, Alexandria, VA*, September 1997.

[120] Alberto Medina, Nina Taft, Kave Salamatian, Supratik Bhattacharyya, and Christophe Diot. Traffic matrix estimation: Existing techniques compared and new directions. In *Proceedings of ACM SIGCOMM*, pages 161–174, August 2002.

[121] Merrill Lynch. *Optical Systems*, August 2002. Technical Report.

[122] Dejan Milojicic, Erik Brewer, Fred Douglis, Peter Druschel, Gary Herman, and Munindar Singh. Internet technology. *IEEE Concurrency*, 8(1), January - March 2000.

[123] Cyriel Minkenberg. *On packet switch design*. PhD thesis, Eindhoven University of Technology, 2001.

[124] Partha P. Mitra and Jason B. Stark. Nonlinear limits to the information capacity of optical fibre communications. *Nature*, 411:1027–1030, June 2001.

[125] Pablo Molinero-Fernández. *Ns-2 models used in the TCP Switching simulations*, 2002. http://klamath.stanford.edu/TCPSwitching.

[126] C. Siva Ram Murthy and Mohan Gurusamy. *WDM Optical Networks: Concepts, Design, and Algorithms*. Prentice Hall, 2001.

[127] National Telecommunications and Information Administration. Falling through the net: Defining the digital divide. Technical report, US Department of Commerce, 1999.

[128] NetEconomy. Circuit vs. packet: the debate intensifies. *the NetEconomy*, October 2001.

[129] Peter Newman, Greg Minshall, and Thomas L. Lyon. IP Switching — ATM under IP. *IEEE/ACM Transactions on Networking*, 6(2):117–129, 1998.

[130] T. H. Ning. Why BiCMOS and SOI BiCMOS? *IBM Journal of Research and Development*, 46(2/3), 2002.

[131] NLANR. *NLANR network traffic packet header traces*, 2001. http://moat.nlanr.net/Traces/.

[132] Nortel Networks. *OPTera Connect HDX optical switch*, 2002. http://www.nortelnetworks.com/products/01/optera/connect/hdx/techspec.html.

[133] Nua Internet Surveys. *How Many On-line?*, April 2002. http://www.nua.ie/surveys/how_many_online/n_america.html.

[134] Mike O'Dell. Keynote speech. ACM SIGCOMM conference, August 2002.

[135] Andrew Odlyzko. Data networks are mostly empty and for good reason. *IT Professional*, 1(2):67–69, Mar/Apr 1999.

[136] Andrew Odlyzko. Content is not king. *First Monday*, 6(2), February 2001. http://www.firstmonday.dk/issues/issue6_2/odlyzko/.

[137] Opnix, Inc. *The Internet Traffic Report*, 2002. `http://www.internettrafficreport.com/`.

[138] Editor P. Ashwood-Smith and Editor L. Berger. RFC 3472: Generalized Multi-Protocol Label Switching (GMPLS) Signaling, Constraint-based Routed Label Distribution Protocol (CR-LDP) Extensions, January 2003.

[139] Jitedra Padhye, Victor Firoiu, Don Towsley, and Jim Krusoe. Modeling TCP throughput: A simple model and its empirical validation. In *Proceedings of ACM SIGCOMM*, pages 303–314, Vancouver, CA, September 1998.

[140] Konstantina Papagiannaki, Nina taft, Zhi-Li Zhang, and Christophe Diot. Long-term forecasting of Internet backbone traffic: Observations and initial models. In *Proceedings of IEEE Infocom*, San Francisco, California, April 2003.

[141] A. K. Parekh and R. G. Gallager. A generalized processor sharing approach to flow control in integrated services networks: The single-node case. *IEEE/ACM Transactions on Networking*, 1(3):344–357, June 1993.

[142] David Passmore. Why convergence will succeed. *Business Communications Review*, pages 16–18, November 1999. `http://www.bcr.com/bcrmag/1999/11/p16.asp`.

[143] David Patterson, Thomas Anderson, Neal Cardwell, Richard Fromm, Kimberly Keeton, Christoforos Kozyrakis, Randi Thomas, and Katherine Yelick. A case for intelligent RAM. *IEEE Micro Magazine*, 17(2):34–44, April 1997.

[144] David Patterson and John Henessy. *Computer Architecture. A Quantitative Approach*. Morgan Kaufmann Publishers, second edition edition, 1996.

[145] Vern Paxson and Mark Allman. RFC 2988: Computing TCP's retransmission timer, November 2000.

[146] Vern Paxson and Sally Floyd. Wide area traffic: the failure of Poisson modling. *IEEE/ACM Transactions on Networking*, 3(3):226–244, 1995.

[147] A. L. Penenberg. The war for the poor. *Forbes Magazine*, September 1997.

[148] Radia Perlman. *Interconnections: Bridges, Routers, Switches, and Internetworking Protocols (2nd edition)*. Addison-Wesley, 1999. ISBN: 0201634481.

[149] B. Pesach, G. Bartal, E. Refaeli, A. J. Agranat, J. Krupnik, and D. Sadot. Free-space optical cross-connect switch by use of electroholography. *Applied Optics*, 39(5):746–758, February 2000.

[150] Christian Schmutzer Peter Tomsu. *Next Generation Optical Networks: The Convergence of IP Intelligence and Optical Technologies*. Prentice Hall, 1st edition, 2001. ISBN: 013028226X.

[151] D. F. Phillips, A. Fleischhauer, A. Mair, R. L. Walsworth, and M. D. Lukin. Storage of light in atomic vapor. *Physical Review Letters*, 86(5):783–786, 2001.

[152] Jon Postel. RFC 791: IP: Internet Protocol, September 1981.

[153] Jon Postel. RFC 793: TCP: Transmission Control Protocol, September 1981.

[154] Private communication. Source requested not to be identified, April 2002.

[155] C. Qiao and M. Yoo. Optical burst switching (OBS) - a new paradigm for an optical Internet. *IEEE Journal of High Speed Networks*, 8(1), 1999.

[156] Light Reading. Optical provisioning: Light years ahead. *Light Reading*, August 2000.

[157] RHK. Diversification paid off as ON market shrank in 2001. Report #1079, RHK, Telecommunication Industry Analysis, May 2002.

[158] RHK. IP edge: Cisco slips in 2001, Juniper triples its share. Report #1101, RHK, Telecommunication Industry Analysis, May 2002.

[159] RHK. Nortel claims top spot in race for MSS market share. Report #1102, RHK, Telecommunication Industry Analysis, May 2002.

[160] RHK. North American telecom capex to turn up in 2004. Press release #154, RHK, April 2002.

[161] RHK. Special report: Juniper makes gains in core and edge router markets. Industry News #114, RHK, Telecommunication Industry Analysis, February 2002.

[162] RHK. United States Internet traffic experiences annual growth of 100%, but just 17% revenue growth. Press release #157, RHK, Telecommunication Industry Analysis, May 2002.

[163] Fabio Ricciato, Stefano Salsano, Angelo Belmonte, and Marco Listanti. Off-line configuration of a MPLS over WDM network under time-varying offered traffic. In *Proceedings of IEEE Infocom*, volume 1, pages 57–65, June 2002.

[164] L. G. Roberts. The evolution of packet switching. *Proceedings of the IEEE*, 66(11):1307–1313, November 1978.

[165] E. Rose, A. Viswanathan, and R. Callon. RFC 3031: Multiprotocol Label Switching Architecture, January 2001.

[166] ITU Telecommunication Standardization Sector. *Network node interface for the synchronous digital hierarchy (SDH)*. International Telecommunication Union, Recommendation G.707/Y.1322 edition, 2000.

[167] ITU Telecommunication Standardization Sector. *Architecture for the Automatic Switched Optical Network (ASON)*. International Telecommunication Union, Recommendation G.8080/Y.1304 edition, November 2001.

[168] ITU Telecommunication Standardization Sector. *Architecture for the Automatic Switched Transport Network (ASTN)*. International Telecommunication Union, Recommendation G.807/Y.1302 edition, November 2001.

[169] ITU Telecommunication Standardization Sector. *Link capacity adjustment scheme (LCAS) for virtual concatenated signals*. International Telecommunication Union, Recommendation G.7042/Y.1305 edition, February 2003.

[170] Sprint ATL. *Sprint network traffic flow traces*, 2002. `http://www.sprintlabs.com/Department/IP-Interworking/Monitor/`.

[171] SWITCH, Swiss Education and Reseach Network. Floma: Pointers and software. `http://www.switch.ch/tf-tant/floma/software.html`.

[172] Andrew S. Tanenbaum. *Computer networks (3rd ed.)*. Prentice-Hall, Inc., 1996.

[173] Lucent Technologies. Lucent Technologies announces record-breaking 320-channel optical networking system. Press release, Lucent Technologies, April 2000.

[174] Tellium. *Aurora optical switch*, 2002. `http://www.tellium.com/documents/brochures/aos.pdf`.

[175] F. A. Tobagi et al. Modeling and measurements techniques in packet communication networks. *Proceedings of the IEEE*, 66(11):1423–1447, November 1978.

[176] Massimo Tornatore, Guido Maier, and Achille Pattavina. WDM network optimization by ILP based on source formulation. In *Proceedings of IEEE Infocom*, volume 1, June 2002.

[177] J. Turner. Terabit burst switching. *IEEE Journal of High Speed Networks*, 8(1), 1999.

[178] A. V. Turukhin, V. S. Sudarshanam, M. S. Shahriar, J. A. Musser, B. S. Ham, and P. R. Hemmer. Observation of ultraslow and stored light pulses in a solid. *Physical Review Letters*, 88(023602), 2002.

[179] University of Maryland. *The Code Decay Project*. `http://www.cs.umd.edu/~aporter/html/evolution.html`.

[180] US Census. Industry quick report. Technical report, US Department of Commerce, 1997. `http://factfinder.census.gov/servlet/IQRBrowseServlet`.

[181] M. Veeraraghavan, M. Karol, R. Karri, R. Grobler, and T. Moors. Architectures and protocols that enable new applications on optical networks. *IEEE Communications Magazine*, 39(3):118–127, March 2001.

[182] C. Villamizar and C. Song. High performance TCP in ANSNET. *ACM Computer Communication Review*, 24(5):45–60, 1994.

[183] Walter Willinger, Vern Paxson, and Murad Taqqu. *A Practical Guide to Heavy Tails: Statistical Techniques and Applications*, chapter Self-similarity and Heavy Tails: Structural Modeling of Network Traffic, pages 27–54. R. Adler, R. Feldman, and M. S. Taqqu, editors. Birkhäuser Verlag, Boston, 1998.

[184] The Yankee Group. *Operational Costs of IP networks; Service Providers' experiences and requirements*, 2001.

[185] Shun Yao, Biswanath Mukherjee, S. J. Ben Yoo, and Sudhir Dixit. A unified study of contention-resolution schemes in optical packet-switched networks. *accepted for publication in Journal of Lightwave Technology*, April 2003.

[186] Shun Yao, Fei Xue, Biswanath Mukherjee, S. J. Ben Yoo, and Sudhir Dixit. Electrical ingress buffering and traffic aggregation for optical packet switching and its effect on TCP-level performance in optical mesh networks. *IEEE Communications Magazine*, 40(9):66–72, September 2002.

[187] H. Yasaka, H. Sanjoh, H. Ishii, Y. Yoshikuni, and K. Oe. Repeated wavelength conversion of 10 Gb/s signals and converted signal gating using wavelength-tunable semiconductor lasers. *IEEE Journal of Lightwave Technology*, 14(6):1042–1047, June 1997.

[188] M. Yoo, C. Qiao, and S. Dixit. Optical burst switching for service differentiation in the next-generation optical Internet. *IEEE Communications Magazine*, 39(2):98–104, February 2001.

[189] Yin Zhang, Lee Breslau, Vern Paxson, and Scott Shenker. On the characteristics and origins of Internet flow rates. In *Proceedings of ACM SIGCOMM*, pages 161–174, August 2002.