

- meaning. *Proc. 62nd Ann. Int. Meeting of the Soc. of Exploration Geophysics*, pages 601–604, 1992.
- [3] J. B. Buckheit and D. L. Donoho. Wavelab and reproducible research. *Time*, 474:55–81, 1995.
 - [4] P. Vandewalle, J. Kovacevic, and M. Vetterli. Reproducible research. *Computing in Science Engineering*, pages 5–7, 2008.
 - [5] Amazon Elastic Compute Cloud. <http://aws.amazon.com>.
 - [6] The network simulator - ns-2. <http://nslam.isi.edu/nslam/>.
 - [7] The ns-3 network simulator. <http://www.nslam.org/>.
 - [8] OPNET modeler. http://www.opnet.com/solutions/network_rd/modeler.html.
 - [9] Global Environment for Network Innovations. <http://www.geni.net/>.
 - [10] B. Chun, D. Culler, T. Roscoe, A. Bavier, L. Peterson, M. Wawrzoniak, and M. Bowman. Planetlab: an overlay testbed for broad-coverage services. *SIGCOMM Computer Communication Review*, 33(3):3–12, 2003.
 - [11] J. DeHart, F. Kuhns, J. Parwatikar, J. Turner, C. Wiseman, and K. Wong. The open network laboratory. In *SIGCSE '06 Technical Symposium on Computer Science Education*, pages 107–111. ACM, 2006.
 - [12] Emulab - network emulation testbed. <http://emulab.net/>.
 - [13] M. Al-Fares, S. Radhakrishnan, B. Raghavan, N. Huang, and A. Vahdat. Hedera: Dynamic flow scheduling for data center networks. In *NSDI '10*. USENIX, 2010.
 - [14] M. Alizadeh, A. Greenberg, D. A. Maltz, J. Padhye, P. Patel, B. Prabhakar, S. Sengupta, and M. Sridharan. Data Center TCP (DCTCP). In *SIGCOMM '10*, pages 63–74. ACM, 2010.
 - [15] N. Beheshti, Y. Ganjali, R. Rajaduray, D. Blumenthal, and N. McKeown. Buffer sizing in all-optical packet switches. In *Optical Fiber Communication Conference*. Optical Society of America, 2006.
 - [16] D. Gupta, K. V. Vishwanath, and A. Vahdat. DieCast: Testing distributed systems with an accurate scale model. In *NSDI '08*, pages 407–421. USENIX, 2008.
 - [17] Open vSwitch: An open virtual switch. <http://openvswitch.org/>.
 - [18] M. Hibler, R. Ricci, L. Stoller, J. Duerig, S. Guruprasad, T. Stack, K. Webb, and J. Lepreau. Large-scale virtualization in the Emulab network testbed. In *USENIX '08 Annual Technical Conference*, pages 113–128, Berkeley, CA, USA, 2008. USENIX.
 - [19] M. Pizzonia and M. Rimondini. Netkit: easy emulation of complex networks on inexpensive hardware. In *International Conference on Testbeds and research infrastructures for the development of networks & communities*, TridentCom '08, pages 7:1–7:10, Brussels, Belgium, 2008. ICST.
 - [20] S. Bhatia, M. Motiwala, W. Muhlbauer, Y. Mundada, V. Valancius, A. Bavier, N. Feamster, L. Peterson, and J. Rexford. Trellis: a platform for building flexible, fast virtual networks on commodity hardware. In *CoNEXT '08*, pages 72:1–72:6. ACM, 2008.
 - [21] J. Ahrenholz, C. Danilov, T. Henderson, and J. Kim. CORE: A real-time network emulator. In *Military Communications Conference, MILCOM '08*, pages 1–7. IEEE, 2008.
 - [22] B. Lantz, B. Heller, and N. McKeown. A network in a laptop: rapid prototyping for software-defined networks. In *HotNets '10*, pages 19:1–19:6. ACM, 2010.
 - [23] S. Soltesz, H. Pötzl, M. Fluczynski, A. Bavier, and L. Peterson. Container-based operating system virtualization: a scalable, high-performance alternative to hypervisors. *ACM SIGOPS Operating Systems Review*, 41(3):275–287, 2007.
 - [24] M. Zec and M. Mikuc. Operating system support for integrated network emulation in IMUNES. In *Workshop on Operating System and Architectural Support for the on demand IT InfraStructure (OASIS)*, 2004.
 - [25] cgroups. <http://www.kernel.org/doc/Documentation/cgroups/cgroups.txt>.
 - [26] P. Turner, B. B. Rao, and N. Rao. CPU bandwidth control for CFS. In *Linux Symposium '10*, pages 245–254, 2010.
 - [27] Handigol, N., Heller, B., Jeyakumar, V., Lantz, B., and McKeown, N. CSTR 2012-02 Mininet performance fidelity benchmarks. <http://hci.stanford.edu/cstr/reports/2012-02.pdf>.
 - [28] Linux Trace Toolkit - next generation. <http://ltnng.org/>.
 - [29] D. Gupta, K. Yocum, M. McNett, A. Snoeren, A. Vahdat, and G. Voelker. To infinity and beyond: time warped network emulation. In *SOSP '05*, pages 1–2. ACM, 2005.
 - [30] lxc linux containers. <http://lxc.sf.net>.
 - [31] K. Ramakrishnan and S. Floyd. A proposal to add explicit congestion notification (ECN) to IP. Technical report, RFC 2481, January 1999.
 - [32] DCTCP patches. <http://www.stanford.edu/~alizade/Site/DCTCP.html>.
 - [33] D. Thaler and C. Hopps. Multipath issues in unicast and multicast next-hop selection. Technical report, RFC 2991, November 2000.
 - [34] Ripcord-Lite for POX: A simple network controller for OpenFlow-based data centers. <https://github.com/brandonheller/riplpox>.
 - [35] G. Appenzeller, I. Keslassy, and N. McKeown. Sizing router buffers. In *SIGCOMM '04*, pages 281–292. ACM, 2004.
 - [36] J. Lockwood, N. McKeown, G. Watson, G. Gibb, P. Hartke, J. Naous, R. Raghuraman, and J. Luo. NetFPGA – an open platform for gigabit-rate network switching and routing. In *Microelectronic Systems Education, MSE '07*, pages 160–161. IEEE, 2007.
 - [37] K. Nichols and V. Jacobson. Controlling queue delay. *Communications of the ACM*, 55(7):42–50, 2012.
 - [38] M. Alizadeh, A. Kabbani, T. Edsall, B. Prabhakar, A. Vahdat, and M. Yasuda. Less is more: Trading a little bandwidth for ultra-low latency in the data center. In *NSDI '12*. USENIX, 2012.
 - [39] C. Raiciu, C. Paasch, S. Barre, A. Ford, M. Honda, F. Duchene, O. Bonaventure, and M. Handley. How hard can it be? designing and implementing a deployable multipath TCP. In *NSDI '12*, pages 29–29. USENIX, 2012.
 - [40] P. Prakash, A. Dixit, Y. Hu, and R. Kompella. The TCP outcast problem: Exposing unfairness in data center networks. In *NSDI '12*. USENIX, 2012.
 - [41] A. Singla, C.-Y. Hong, L. Popa, and P. B. Godfrey. Jellyfish: Networking data centers randomly. In *NSDI '12*. USENIX, 2012.
 - [42] N. Dukkupati, T. Refice, Y. Cheng, J. Chu, T. Herbert, A. Agarwal, A. Jain, and N. Sutin. An argument for increasing TCP's initial congestion window. *SIGCOMM Computer Communication Review*, 40(3):27–33, 2010.
 - [43] V. Vasudevan, A. Phanishayee, H. Shah, E. Krevat, D. Andersen, G. Ganger, G. Gibson, and B. Mueller. Safe and effective fine-grained TCP retrasmmissions for datacenter communication. *SIGCOMM Computer Communication Review*, 39(4):303–314, 2009.
 - [44] C. Guo, H. Wu, K. Tan, L. Shi, Y. Zhang, and S. Lu. DCell: a scalable and fault-tolerant network structure for data centers. In *SIGCOMM '08*. ACM, 2008.
 - [45] N. Dukkupati and N. McKeown. Why flow-completion time is the right metric for congestion control. *SIGCOMM Computer Communication Review*, 36(1):59–62, 2006.
 - [46] S. Savage, N. Cardwell, D. Wetherall, and T. Anderson. TCP congestion control with a misbehaving receiver. *SIGCOMM Computer Communication Review*, 29(5):71–78, 1999.
 - [47] S. Floyd and V. Jacobson. Random Early Detection gateways for congestion avoidance. *IEEE/ACM Transactions on Networking*, 1(4):397–413, 1993.
 - [48] C. Raiciu, S. Barre, C. Pluntke, A. Greenhalgh, D. Wischik, and M. Handley. Improving datacenter performance and robustness with multipath TCP. In *SIGCOMM Computer Communication Review*. ACM, 2011.
 - [49] The OpenFlow switch. <http://www.openflow.org>.
 - [50] M. Carson and D. Santay. NIST Net – a Linux-based network emulation tool. *SIGCOMM Computer Communication Review*, 33(3):111–126, 2003.
 - [51] M. Carbone and L. Rizzo. Dummynet revisited. *SIGCOMM Computer Communication Review*, 40(2):12–20, 2010.
 - [52] Linux network emulation module. <http://www.linuxfoundation.org/collaborate/workgroups/networking/netem>.
 - [53] P. Barham, B. Dragovic, K. Fraser, S. Hand, T. Harris, A. Ho, R. Neugebauer, I. Pratt, and A. Warfield. Xen and the art of virtualization. In *SOSP '03*, pages 164–177. ACM, 2003.
 - [54] A. Vahdat, K. Yocum, K. Walsh, P. Mahadevan, D. Kostic, J. Chase, and D. Becker. Scalability and accuracy in a large-scale network emulator. In *OSDI '02*, pages 271–284. USENIX, 2002.
 - [55] OpenFlow Virtual Machine Simulation. <http://www.openflow.org/wk/index.php/OpenFlowVMS>.
 - [56] E. Weingärtner, F. Schmidt, H. Vom Lehn, T. Heer, and K. Wehrle. Slicetime: A platform for scalable and accurate network emulation. In *NSDI '11*, volume 3. ACM, 2011.
 - [57] Z. Tan, K. Asanovic, and D. Patterson. An FPGA-based simulator for datacenter networks. In *Exascale Evaluation and Research Techniques Workshop (EXERT '10)*, at ASPLOS '10. ACM, 2010.
 - [58] S. Tripathi, N. Droux, K. Belgaied, and S. Khare. Crossbow virtual wire: network in a box. In *LISA '09*, pages 4–4. USENIX, 2009.